

AUTHOR INDEX

- Aitken, D.K. *see* Glaspe, A.C.H.
- Alexander, J.B. On the interpretation of Stromgren photometry, 220, 473
- Allen, D.A. *see* Roche, P.F.
- Arnaud, K.A., Gilmore, G. Mass-to-light ratios in elliptical galaxies, 220, 759
- Arquilla R., Leahy, D.A., Kwok, S. CO observations of sources from IRAS Circular No. 9220, 125
- Ashley, M.C.B. *see* Nelson, G.J.
- Bailey, J.A. *see* Roche, P.F.
- Balona, L.A. Mode identification from line profile variations — II. A quantitative least-squares algorithm, 220, 647
- Bassani, L. *see* Coe, M.J.
- Beltrametti, M. *see* Swarup, G.
- Bergeron, J., D'Odorico, S. Ionization state of the absorption systems in the BL Lac object 0215+015 and properties of low-excitation absorbers, 220, 833
- Black, C.A. *see* Caldwell, J.A.R.
- Blackwell D.E., Booth, A.J., Menon, S.L.R., Petford, A.D. Measurement of relative oscillator strengths for Ti I–IV. Transitions from levels of excitation energy between 1.42 and 2.31 eV, 220, 289
- Blackwell, D.E., Booth, A.J., Haddock, D.J., Petford, A.D., Leggett, S.K. Measurement of the oscillator strengths of very weak Fe I lines, 220, 549
- Blackwell, D.E., Booth, A.J., Menon, S.L.R., Petford, A.D. Measurement of relative oscillator strengths for Cr I lines — II. Measures for transitions from levels with excitation energy 2.54 — 3.46 eV, 220, 303
- Blades, J.C. *see* Morton, D.C.
- Blaes, O.M., Glatzel, W. On the stability of incompressible constant angular momentum cylinders, 220, 253
- Blandford, R. *see* Romani, R.W.
- Booth, A.J. *see* Blackwell, D.E.
- Bromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E. Flares on dMe stars: IUB and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares, 220, 1021
- Brown, P.J.F., Dufton, P.L., Lennon, D.J., Keenan, F.P. The chemical composition of six southern clusters and associations, 220, 1003
- Byrd, G.G., Saarinen, S., Valtonen, M.J. Dynamical friction on a satellite of a disc galaxy, 220, 619
- Byrne, P.B. *see* Doyle, J.G.
- Caldwell, J.A.R., Coulson, I.M., Spencer Jones, J.H., Black, C.A., Feast, M.W. Velocities and radii of five Magellanic Cloud Cepheids, 220, 671
- Campbell, C.G., Papaloizou, J.C.B. Stellar oscillations in the presence of a magnetic field, 220, 577
- Chapman, J.M., Cohen, R.J. MERLIN observations of the circumstellar envelope of VX Sagittarius, 220, 513
- Chapman, J.M. *see* Unger, S.W.
- Chellathurai, V. *see* Dadhich, N.
- Chieffi, A. *see* Tomambè, A.
- Codina, S.J. *see* de Freitas Pacheco, J.A.
- Coe, M.J., Dean, A.J., Sembay, S., Ferrari-Toniolo, M., Persi, P., Spinoglio, L., Bassani, L., Elsmore, B. Far-infrared observations of the quasar 0241+62, 220, 781
- Cohen, R.J. *see* Chapman, J.M.
- Cohen, R.J. *see* Rowland, P.R.
- Cohen, R.J. *see* Unger, S.W.
- Corbet, R.H.D. The three types of high-mass X-ray pulsator, 220, 1047
- Coulson, I.M. *see* Caldwell, J.A.R.
- Cropper, M., Warner, B. Polarimetry of VV Puppis, 220, 633
- Currie, M.J. *see* Dickens, R.J.
- Dadhich, N., Chellathurai, V. On gravitational field energy of a charged black hole, 220, 535
- Dalgarno, A. *see* Pineau des Forets, G.
- Dean, A.J. *see* Coe, M.J.
- de Felice, F., Yu, Y. Mass shedding and partition of the a/m ratio between core and envelope in gravitational collapse, 220, 737
- de Freitas Pacheco, J.A., Codina, S.J., Viadana, L. New colour and Zanstra temperatures for 15 central stars of planetary nebulae, 220, 107
- de Oliveira, A.K.G., Pacheco, J.A. de F., Santos, N.O. More about collapse of a radiating star, 220, 405
- Dickens, R.J., Currie, M.J., Lucey, J.R. The Centaurus cluster of galaxies — I. The data, 220, 679
- Dickens, R.J. *see* Penny, A.J.
- Dodd, R.J. *see* Parker, Q.A.
- D'Odorico, S. *see* Bergeron, J.
- Doyle, J.G., Byrne, P.B., Menzies, J.W. Optical photometry and spectroscopy for five dwarf M stars, 220, 223
- Draine, B.T. Multicomponent, reacting MHD flows, 220, 133
- Dufton, P.L. *see* Brown, P.J.F.
- Dufton, P.L. *see* Bromage, G.E.
- Dufton, P.L. *see* Johnson, C.T.
- Dworetzky, M.M., Moon, T.T. On the surface gravities of Am stars, 220, 787
- Eggleton, P.P., Verbunt, F. Triple star evolution and the formation of short-period, low-mass X-ray binaries, 220, 13p
- Elsmore, B. *see* Coe, M.J.

AUTHOR INDEX

- Aitken, D.K. *see* Glaspe, A.C.H.
- Alexander, J.B. On the interpretation of Stromgren photometry, 220, 473
- Allen, D.A. *see* Roche, P.F.
- Arnaud, K.A., Gilmore, G. Mass-to-light ratios in elliptical galaxies, 220, 759
- Arquilla R., Leahy, D.A., Kwok, S. CO observations of sources from IRAS Circular No. 9220, 125
- Ashley, M.C.B. *see* Nelson, G.J.
- Bailey, J.A. *see* Roche, P.F.
- Balona, L.A. Mode identification from line profile variations — II. A quantitative least-squares algorithm, 220, 647
- Bassani, L. *see* Coe, M.J.
- Beltrametti, M. *see* Swarup, G.
- Bergeron, J., D'Odorico, S. Ionization state of the absorption systems in the BL Lac object 0215+015 and properties of low-excitation absorbers, 220, 833
- Black, C.A. *see* Caldwell, J.A.R.
- Blackwell D.E., Booth, A.J., Menon, S.L.R., Petford, A.D. Measurement of relative oscillator strengths for Ti I–IV. Transitions from levels of excitation energy between 1.42 and 2.31 eV, 220, 289
- Blackwell, D.E., Booth, A.J., Haddock, D.J., Petford, A.D., Leggett, S.K. Measurement of the oscillator strengths of very weak Fe I lines, 220, 549
- Blackwell, D.E., Booth, A.J., Menon, S.L.R., Petford, A.D. Measurement of relative oscillator strengths for Cr I lines — II. Measures for transitions from levels with excitation energy 2.54 — 3.46 eV, 220, 303
- Blades, J.C. *see* Morton, D.C.
- Blaes, O.M., Glatzel, W. On the stability of incompressible constant angular momentum cylinders, 220, 253
- Blandford, R. *see* Romani, R.W.
- Booth, A.J. *see* Blackwell, D.E.
- Bromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E. Flares on dMe stars: IUB and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares, 220, 1021
- Brown, P.J.F., Dufton, P.L., Lennon, D.J., Keenan, F.P. The chemical composition of six southern clusters and associations, 220, 1003
- Byrd, G.G., Saarinen, S., Valtonen, M.J. Dynamical friction on a satellite of a disc galaxy, 220, 619
- Byrne, P.B. *see* Doyle, J.G.
- Caldwell, J.A.R., Coulson, I.M., Spencer Jones, J.H., Black, C.A., Feast, M.W. Velocities and radii of five Magellanic Cloud Cepheids, 220, 671
- Campbell, C.G., Papaloizou, J.C.B. Stellar oscillations in the presence of a magnetic field, 220, 577
- Chapman, J.M., Cohen, R.J. MERLIN observations of the circumstellar envelope of VX Sagittarius, 220, 513
- Chapman, J.M. *see* Unger, S.W.
- Chellathurai, V. *see* Dadhich, N.
- Chieffi, A. *see* Tomambè, A.
- Codina, S.J. *see* de Freitas Pacheco, J.A.
- Coe, M.J., Dean, A.J., Sembay, S., Ferrari-Toniolo, M., Persi, P., Spinoglio, L., Bassani, L., Elsmore, B. Far-infrared observations of the quasar 0241+62, 220, 781
- Cohen, R.J. *see* Chapman, J.M.
- Cohen, R.J. *see* Rowland, P.R.
- Cohen, R.J. *see* Unger, S.W.
- Corbet, R.H.D. The three types of high-mass X-ray pulsator, 220, 1047
- Coulson, I.M. *see* Caldwell, J.A.R.
- Cropper, M., Warner, B. Polarimetry of VV Puppis, 220, 633
- Currie, M.J. *see* Dickens, R.J.
- Dadhich, N., Chellathurai, V. On gravitational field energy of a charged black hole, 220, 535
- Dalgarno, A. *see* Pineau des Forets, G.
- Dean, A.J. *see* Coe, M.J.
- de Felice, F., Yu, Y. Mass shedding and partition of the a/m ratio between core and envelope in gravitational collapse, 220, 737
- de Freitas Pacheco, J.A., Codina, S.J., Viadana, L. New colour and Zanstra temperatures for 15 central stars of planetary nebulae, 220, 107
- de Oliveira, A.K.G., Pacheco, J.A. de F., Santos, N.O. More about collapse of a radiating star, 220, 405
- Dickens, R.J., Currie, M.J., Lucey, J.R. The Centaurus cluster of galaxies — I. The data, 220, 679
- Dickens, R.J. *see* Penny, A.J.
- Dodd, R.J. *see* Parker, Q.A.
- D'Odorico, S. *see* Bergeron, J.
- Doyle, J.G., Byrne, P.B., Menzies, J.W. Optical photometry and spectroscopy for five dwarf M stars, 220, 223
- Draine, B.T. Multicomponent, reacting MHD flows, 220, 133
- Dufton, P.L. *see* Brown, P.J.F.
- Dufton, P.L. *see* Bromage, G.E.
- Dufton, P.L. *see* Johnson, C.T.
- Dworetzky, M.M., Moon, T.T. On the surface gravities of Am stars, 220, 787
- Eggleton, P.P., Verbunt, F. Triple star evolution and the formation of short-period, low-mass X-ray binaries, 220, 13p
- Elsmore, B. *see* Coe, M.J.

Author index

- Elsworth, Y., James, J.F. The flicker spectrum of
YZ Cancri, 220, 895
- Fabian, A.C. *see* Guilbert, P.W.
Feast, M.W. *see* Caldwell, J.A.R.
Feigelson, E.D. *see* Kembhavi, A.
Femley, J.A. *see* Longmore, A.J.
Ferrari-Toniolo, M. *see* Coc, M.J.
Flower, D.R., Pineau des Forêts, G. Multicomponent
reacting MHD flows — a reply, 220, 149
Flower, D.R. *see* Pineau des Forêts, G.
Fosbury, R.A.E., *see* Wilkinson, A.
- Garden, R., Geballe, T.R., Gatley, I., Nadeau,
D. An extremely luminous bipolar H₂ flow in the
DR21 star-forming region, 220, 203
Garden, R.P., Geballe, T.R. Infrared recombination
line profiles: a diagnostic probe of the
velocity field in the S106 stellar wind, 220,
611
Gatley, I. *see* Garden, R.
Geballe, T.R. *see* Garden, R.
Geballe, T.R. *see* Garden, R.P.
Gilmore, G. *see* Arnaud, K.A.
Glasse, A.C.H., Towson, W.A., Aitken, D.K., Roche,
P.F. High-resolution infrared spectroscopy: a
search for the 11.52- μ m graphite feature, 220,
185
Glatzel, W. *see* Blaes, O.M.
Graham, J.R. Peculiar infrared and optical
behaviour in Type I supernovae and the origin of
the 1.2 μ m feature, 220, 27p
Guilbert, P.W., Fabian, A.C. A hot intergalactic
medium? 220, 439
Guthrie, B.N.G. Orbital inclinations of late B-
type spectroscopic binaries, 220, 559
- Haddock, D.J. *see* Blackwell, D.E.
Harris, A.W., Mas Hesse, J.M. Interstellar zinc
revisited: possible depletion in high-density
sight-lines, 220, 271
Hartquist, T.W. *see* Pineau des Forêts, G.
Hawarden, T.G. *see* Unger, S.W.
Healy, A.P. *see* Huggins, P.J.
Heavens, A.F. *see* More, J.G.
Hill, P.W. *see* Parker, Q.A.
Höflich, P., Lowe, R.P., Moorhead, J., Scholz, M.,
Wehlauf, W., Wehrse, R. Interpretation of Δv —2
carbon monoxide lines in the spectrum of α Her,
220, 377
Huggins, P.J., Healy, A.P. CO in the planetary
nebulae NGC 2346 and 6720, 220, 33p
Hyland, A.R. *see* Nelson, G.J.
- James, J.F. *see* Elsworth, Y.
Jameson, R.F. *see* Longmore, A.J.
Jaroszynski, M. Oscillations of thick accretion
discs, 220, 869
- Johns, T.C., Nelson, A.H. Global simulations of
gas flow in disc galaxies — I. Response to a
spiral density wave, 220, 165
Johnson, C.T., Kingston, A.E., Dufton, P.L. Atomic
data for the S IV 10.5 μ m fine structure
transition, 220, 155
Johnson, C.T. *see* Keenan, F.P.
Joshi, U.C. *see* Sagar, R.
- Kaburaki, O. Structure of magneto-Keplerian discs:
an analytical solution for thin accretion discs
threaded by stellar magnetic fields, 220, 321
Keenan, F.P., Kingston, A.E. An approximate
calculation of the effect of opacity on Si III
emission line ratios near the solar limb, 220,
493
Keenan, F.P., Lennon, D.J., Johnson, C.T.,
Kingston, A.E. Fine-structure population ratios
for the ²P ground state of C II, 220, 571
Keenan, F.P. *see* Brown, P.J.F.
Kembhavi, A., Feigelson, E.D., Singh, K.P. X-ray
and radio core emission in radio quasars, 220,
51
King, D.J. Optical polarization in the spiral
galaxy NGC 7331, 220, 485
Kingston, A.E. *see* Bromage, G.E.
Kingston, A.E. *see* Keenan, F.P.
Kreidl, T.J., Kurtz, D.W. Frequency analysis of
the 5.65-min oscillations in the rapidly
oscillating Ap star HD 134214, 220, 313
Krishnamohan, S. Evidence for a high-density
electron layer from the spatial distribution of
pulsars, 220, 119
Kurtz, D.W. *see* Kreidl, T.J.
Kwok, S. *see* Arquilla, R.
- Lahav, O. Cooling of Population III objects in a
pressure supported collapse, 220, 259
Leahy, D.A., Narayan, S., Singh, K.P. An X-ray
study of the Monoceros supernova remnant, 220,
501
Leahy, D.A. *see* Arquilla, R.
Leggett, S.K. *see* Blackwell, D.E.
Lennon, D.J. *see* Brown, P.J.F.
Lennon, D.J. *see* Keenan, F.P.
Lewin, W.H.G. *see* Vacca, W.D.
Lipari, S.L., Sisteró, R.F. FT Lupi: *UBV*
photometry and synthetic solution, 220, 883
Lloyd Evans, T. The low-luminosity J-type carbon
stars, 220, 723
Longmore, A.J., Femley, J.A., Jameson, R.F. RR
Lyrae stars in globular clusters: better
distances from infrared measurements, 220, 279
Lowe, R.P. *see* Höflich, P.
Lucey, J.R. *see* Dickens, R.J.
- MacGillivray, H.T. *see* Parker, Q.A.
Mack, P. *see* Walker, A.R.
Malkan, M.A. *see* Patnaik, A.R.
Mas Hesse, J.M. *see* Harris, A.W.

Author index

- Meaburn, J., Walsh, J.R. The discovery of high-speed ionized knots in the H II regions M16 (NGC 6611) and the Rosette nebula (NGC 2237—2246), 220, 745
- Meaburn, J. *see* Walsh, J.R.
- Menon, S.L.R. *see* Blackwell, D.E.
- Menzies, J.W. *see* Doyle, J.G.
- Miller, L. Heating and cooling in clusters of galaxies, 220, 713
- Moon, T.T. *see* Dworetzky, M.M.
- Moorhead, J. *see* Höflich, P.
- More, J.G., Heavens, A.F., Peacock, J.A. The gravitational collapse of triaxial protoclusters, 220, 189
- Morton, D.C., Blades, J.C. Interstellar absorption lines in the directions of extragalactic objects — II. Analysis of 25 sight lines, 220, 927
- Mountain, C.M. *see* Unger, S.W.
- Murray, C.A. *see* Strugnell, P.
- Myakutin, V.I. *see* Sagar, R.
- Nadeau, D. *see* Garden, R.
- Nandy, K. *see* Walsh, J.R.
- Naranan, S. *see* Leahy, D.A.
- Narayan, R. *see* Romani, R.W.
- Nelson, A.H. *see* Johns, T.C.
- Nelson, G.J., Robinson, R.D., Slee, O.B., Ashley, M.C.B., Hyland, A.R., Tuohy, I.R., Nikoloff, I., Vaughan, A.E. Simultaneous optical, infrared and microwave observations of the flare star AT Mic, 220, 91
- Nikoloff, I. *see* Nelson, G.J.
- O'Donoghue, D. On mode changes in ZZ Ceti stars, 220, 19p
- O'Donoghue, D. The radius of the accretion disc in Z Cha between outbursts, 220, 23p
- Pacheco, J.A. de F. *see* de Oliveira, A.K.G.
- Papaloizou J.C.B., Stanley, G.Q.G. The structure and stability of the accretion disc boundary layer, 220, 593
- Papaloizou, J.C.B. *see* Campbell, C.G.
- Parker, Q.A., MacGillivray, H.T., Hill, P.W., Dodd, R.J. Three-dimensional structure in field 349 of the southern sky survey — I. Redshifts for a magnitude-limited sample of galaxies from slit spectra, 220, 901
- Patnaik, A.R., Malkan, M.A., Salter, C.J. Multifrequency observations of the wide-angle tail radio source 1313+073, 220, 351
- Peacock, J.A. *see* More, J.G.
- Penny, A.J., Dickens, R.J. CCD photometry of the globular cluster NGC 6752, 220, 845
- Perryman, M.A.C. *see* Ulrich, M.H.
- Persi, P. *see* Coe, M.J.
- Petford, A.D. *see* Blackwell, D.E.
- Phillips, K.J.H. *see* Bromage, G.E.
- Pineau des Forêts, G., Flower, D.R., Hartquist, T.W., Dalgarno, A. Theoretical studies of interstellar molecular shocks — III. The formation of CH⁺ in diffuse clouds, 220, 801
- Pineau des Forêts, G. *see* Flower, D.R.
- Piskunov, A.E. *see* Sagar, R.
- Reid, N. *see* Strugnell, P.
- Robinson, R.D. *see* Nelson, G.J.
- Roche, P.F., Allen, D.A., Bailey, J.A. The spatial extent and nature of the 3- μ m emission features in HD 97048 and CPD -56° 8032, 220, 7P
- Roche, P.F. *see* Glasse, A.C.H.
- Romani, R.W., Narayan, R., Blandford, R. Refractive effects in pulsar scintillation, 220, 19
- Rowland, P.R., Cohen, R.J. Rapid variability of H₂O masers in Cepheus A, 220, 233
- Saarinén, S. *see* Byrd, G.G.
- Sagar, R., Piskunov, A.E., Myakutin, V.I., Joshi, U.C. Mass and age distributions of stars in young open clusters, 220, 383
- Saikia, D.J. *see* Swarup, G.
- Salter, C.J. *see* Patnaik, A.R.
- Salter, C.J. *see* Swarup, G.
- Santos, N.O. *see* de Oliveira, A.K.G.
- Scholz, M. *see* Höflich, P.
- Sembay, S. *see* Coe, M.J.
- Sharples, R.M. *see* Wilkinson, A.
- Shobbrook, R.R. *uvby* β photometry of southern clusters — VII. NGC 2547, 220, 825
- Singh, K.P. *see* Kembhavi, A.
- Singh, K.P. *see* Leahy, D.A.
- Sinha, R.P. *see* Swarup, G.
- Sisteró, R.F. *see* Lipari, S.L.
- Slee, O.B. *see* Nelson, G.J.
- Spencer Jones, J.H. *see* Caldwell, J.A.R.
- Spinoglio, L. *see* Coe, M.J.
- Stanger, V.J., Warwick, R.S. High-resolution X-ray and radio observations of the giant elliptical galaxies NGC 4636 and 4649, 220, 363
- Stanley, G.Q.G. *see* Papaloizou, J.C.B.
- Strugnell, P., Reid, N., Murray, C.A. The luminosity and kinematics of RR Lyrae stars in the solar neighbourhood — I. Statistical parallaxes of RR Lyraes, 220, 413
- Swarup, G., Saikia, D.J., Beltrametti, M., Sinha, R.P., Salter, C.J. Absorption lines and the radio structure of quasars 220, 1
- Tan, S.M. An analysis of the properties of CLEAN and Smoothness Stabilized CLEAN — some warnings, 220, 971
- Taylor, R.J. A further uncertainty in the mixing length theory of convection in the structure of late-type stars, 220, 793
- Thomas, P.A. A cooling flow in the giant, elliptical galaxy NGC 4472, 220, 949
- Thompson, G.I. *see* Walsh, J.R.
- Tomambe, A., Chieffi, A. Extremely metal-deficient stars — II. Evolution of intermediate-mass stars up to carbon ignition or core degeneracy, 220, 521

Author index

- Towlson, W.A. *see* Glasse, A.C.H.
Tuohy, I.R. *see* Nelson, G.J.
- Ulrich, M.H., Perryman, M.A.C. The remarkable absorption-line systems in the quasar Tololo 1037—27, 220, 429
- Unger, S.W., Chapman, J.M., Cohen, R.J., Hawarden, T.G., Mountain, C.M. A search for OH maser emission from spiral galaxies, 220, 1P
- Vacca, W.D., Lewin, W.H.G., van Paradijs, J. Eddington luminosities and photospheric radius expansion during X-ray bursts from 4U/MXB 1820—30, 220, 339
- Valtonen, M.J. *see* Byrd, G.G.
- Vaughan, A.E. *see* Nelson, G.J.
- van Paradijs, J. *see* Vacca, W.D.
- Verbunt, F. *see* Eggleton, P.P.
- Viadana, L. *see* de Freitas Pacheco, J.A.
- Walker, A.R., Mack, P. CCD observations of some RR Lyrae stars and a standard sequence in Baade's window, 220, 69
- Wallace, P.T. *see* Wilkinson, A.
- Walsh, J.R., Nandy, K., Thompson, G.I., Meaburn, J. The properties of the nuclei of the two hot spot galaxies NGC 1097 and 2997, 220, 453
- Walsh, J.R. *see* Meaburn, J.R.
- Wamer, B. *see* Cropper, M.
- Warwick, R.S. *see* Stanger, V.J.
- Wehlau, W. *see* Höflich, P.
- Wehrse, R. *see* Höflich, P.
- Wilkinson, A., Sharples, R.M., Fosbury, R.A.E., Wallace, P.T. Erratum: Stellar dynamics of Cen A, 220, 799
- Worswick, S.P. *see* Wynne, C.G.
- Wynne, C.G., Worswick, S.P. Atmospheric dispersion correctors at the Cassegrain focus, 220, 657
- Yu, Y. *see* de Felice, F.

SUBJECT INDEX

Accretion and accretion discs

- On the stability of incompressible constant angular momentum cylinders (Blaes, O.M., Glatzel, W.), 220, 253
- Structure of magneto-Keplerian discs: an analytical solution for thin accretion discs threaded by stellar magnetic fields (Kaburaki, O.), 220, 321
- More about collapse of a radiating star (de Oliveira, A.K.G., Pacheco, J.A. de F., Santos, N.O.), 220, 405
- The structure and stability of the accretion disc boundary layer (Papaloizou, J.C.B., Stanley, G.Q.G.), 220, 593
- Oscillations of thick accretion discs (Jaroszyński, M.), 220, 869
- The three types of high-mass X-ray pulsator (Corbet, R.H.D.), 220, 1047
- The radius of the accretion disc in Z Cha between outbursts (O'Donoghue, D.), 220, 23p

Abundances of the elements

- Interstellar zinc revisited: possible depletion in high-density sight-lines (Harris, A.W., Mas Hesse, J.M.), 220, 271

Black holes

- On gravitational field energy of a charged black hole (Dadhich, N., Chellathurai, V.), 220, 555
- Triple star evolution and the formation of short-period, low-mass X-ray binaries (Eggleton, P.P., Verbunt, F.), 220, 13p

BL Lac objects

- Ionization state of the absorption systems in the BL Lac object 0215+015 and properties of low-excitation absorbers (Bergeron, J., D'Odorico, S.), 220, 833

Celestial mechanics

- The gravitational collapse of triaxial protoclusters (More, J.G., Heavens, A.F., Peacock, J.A.), 220, 189
- On the stability of incompressible constant angular momentum cylinders (Blaes, O.M., Glatzel, W.), 220, 253
- Dynamical friction on a satellite of a disc galaxy (Byrd, G.G., Saarinen, S., Valtonen, M.J.), 220, 619

Cosmology

- The gravitational collapse of triaxial protoclusters (More, J.G., Heavens, A.F., Peacock, J.A.), 220, 189
- Cooling of Population III objects in a pressure supported collapse (Lahav, O.), 220, 259
- A hot intergalactic medium? (Guilbert, P.W., Fabian, A.C.), 220, 439
- Ionization state of the absorption systems in the BL Lac object 0215+015 and properties of low-excitation absorbers (Bergeron, J., D'Odorico, S.), 220, 833

Data reduction

- The luminosity and kinematics of RR Lyrae stars in the solar neighbourhood — I. Statistical parallaxes of RR Lyraes (Strugnell, P., Reid, N., Murray, C.A.), 220, 413
- Mode identification from line profile variations — II. A quantitative least-squares algorithm (Balona, L.A.), 220, 647
- An analysis of the properties of CLEAN and Smoothness Stabilized CLEAN — some warnings (Tan, S.M.), 220, 971

Distance scale

- The luminosity and kinematics of RR Lyrae stars in the solar neighbourhood — I. Statistical parallaxes of RR Lyraes (Strugnell, P., Reid, N., Murray, C.A.), 220, 413

Galactic centre

- CCD observations of some RR Lyrae stars and a standard sequence in Baade's window (Walker, A.R., Mack, P.), 220, 69

Galactic structure and stellar dynamics

- Global simulations of gas flow in disc galaxies — I. Response to a spiral density wave (Johns, T.C., Nelson, A.H.), 220, 165
- Dynamical friction on a satellite of a disc galaxy (Byrd, G.G., Saarinen, S., Valtonen, M.J.), 220, 619
- Erratum: Stellar dynamics of Cen A (Wilkinson, A., Sharples, R.M., Fosbury, R.A.E., Wallace, P.T.), 220, 799
- Interstellar absorption lines in the directions of extragalactic objects — II. Analysis of 25 sight lines (Morton, D.C., Blades, J.C.), 220, 927

Galaxies

- Optical polarization in the spiral galaxy NGC 7331 (King, D.J.), 220, 485
- The Centaurus cluster of galaxies — I. The data (Dickens, R.J., Currie, M.J., Lucey, J.R.), 220, 679
- Mass-to-light ratios in elliptical galaxies (Amaud, K.A., Gilmore, G.), 220, 759
- Three-dimensional structure in field 349 of the southern sky survey — I. Redshifts for a magnitude-limited sample of galaxies from slit spectra (Parker, Q.A., MacGillivray, H.T., Hill, P.W., Dodd, R.J.), 220, 901
- A cooling flow in the giant, elliptical galaxy NGC 4472 (Thomas, P.A.), 220, 949
- A search for OH maser emission from spiral galaxies (Unger, S.W., Chapman, J.M., Cohen, R.J., Hawarden, T.G., Mountain, C.M.), 220, 1p

Galaxies — active

- Multifrequency observations of the wide-angle tail radio source 1313+073 (Patnaik, A.R., Malkan, M.A., Salter, C.J.), 220, 351
- High-resolution X-ray and radio observations of the giant elliptical galaxies NGC 4636 and 4649 (Stanger, V.J., Warwick, R.S.), 220, 363
- Erratum: Stellar dynamics of Cen A (Wilkinson, A., Sharples, R.M., Fosbury, R.A.E., Wallace, P.T.), 220, 799

Galaxies — nuclei of

- The properties of the nuclei of the two hot spot galaxies NGC 1097 and 2997 (Walsh, J.R., Nandy, K., Thompson, G.I., Meaburn, J.), 220, 453

Galaxy clusters

- The gravitational collapse of triaxial protoclusters (More, J.G., Heavens, A.F., Peacock, J.A.), 220, 189
- The Centaurus cluster of galaxies — I. The data (Dickens, R.J., Currie, M.J., Lucey, J.R.), 220, 679
- Heating and cooling in clusters of galaxies (Miller, L.), 220, 713
- Three-dimensional structure in field 349 of the southern sky survey — I. Redshifts for a magnitude-limited sample of galaxies from slit spectra (Parker, Q.A., MacGillivray, H.T., Hill, P.W., Dodd, R.J.), 220, 901

Gravitation and gravitational radiation

- On gravitational field energy of a charged black hole (Dadhich, N., Chellathurai, V.), 220, 555

Herbig—Haro objects

- The discovery of high-speed ionized knots in the H II regions M16 (NGC 6611) and the Rosette nebula (NGC 2237—2246) (Meaburn, J., Walsh, J.R.), 220, 745

Infrared astronomy

- Simultaneous optical, infrared and microwave observations of the flare star AT Mic (Nelson, G.J., Robinson, R.D., Slee, O.B., Ashley, M.C.B., Hyland, A.R., Tuohy, I.R., Nikoloff, I., Vaughan, A.E.), 220, 91
- CO observations of sources from IRAS Circular No. 9 (Arquilla, R., Leahy, D.A., Kwok, S.), 220, 125
- High-resolution infrared spectroscopy: a search for the 11.52- μ m graphite feature (Glaspe, A.C.H., Towson, W.A., Aitken, D.K., Roche, P.F.), 220, 185
- An extremely luminous bipolar H₂ flow in the DR21 star-forming region (Garden, R., Geballe, T.R., Gatley, I., Nadeau, D.), 220, 203
- RR Lyrae stars in globular clusters: better distances from infrared measurements (Longmore, A.J., Fernley, J.A., Jameson, R.F.), 220, 279
- Interpretation of Δv — 2 carbon monoxide lines in the spectrum of α Her (Höflich, P., Lowe, R.P., Moorhead, J., Scholz, M., Wehlau, W., Wehrse, R.), 220, 377
- Infrared recombination line profiles: a diagnostic probe of the velocity field in the S106 stellar wind (Garden, R.P., Geballe, T.R.), 220, 611
- Mass-to-light ratios in elliptical galaxies (Amaud, K.A., Gilmore, G.), 220, 759
- Far-infrared observations of the quasar 0241+62 (Coe, M.J., Dean, A.J., Sembay, S., Ferrari-Toniolo, M., Persi, P., Spingolo, L., Bassani, L., Elsmore, B.), 220, 781
- The spatial extent and nature of the 3- μ m emission features in HD 97048 and CPD -56°8032 (Roche, P.F., Allen, D.A., Bailey, J.A.), 220, 7p
- Peculiar infrared and optical behaviour in Type I supernovae and the origin of the 1.2- μ m feature (Graham, J.R.), 220, 27p

Instruments and techniques

- Atmospheric dispersion correctors at the Cassegrain focus (Wynne, C.G., Worswick, S.P.), 220, 657

Intergalactic medium

- Absorption lines and the radio structure of quasars (Swarup, G., Saikia, D.J., Beltramini, M., Sinha, R.P., Salter, C.J.), 220, 1
- The remarkable absorption-line systems in the quasar Tololo 1037-27 (Ulrich, M.H., Perryman, M.A.C.), 220, 429
- A hot intergalactic medium? (Guilbert, P.W., Fabian, A.C.), 220, 439

Subject index

- Ionization state of the absorption systems in the BL Lac object 0215+015 and properties of low-excitation absorbers (Bergeron, J., D'Odorico, S.), 220, 833
A cooling flow in the giant, elliptical galaxy NGC 4472 (Thomas, P.A.), 220 949

Interstellar grains

- High-resolution infrared spectroscopy: a search for the 11.52- μ m graphite feature (Glasse, A.C.H., Towlson, W.A., Aitken, D.K., Roche, P.F.), 220, 185
The spatial extent and nature of the 3 - μ m emission features in HD 97048 and CPD -56°8032 (Roche, P.F., Allen, D.A., Bailey, J.A.), 220, 7p

Interstellar medium

- Refractive effects in pulsar scintillation (Romani, R.W., Narayan, R., Blandford, R.), 220, 19
Evidence for a high-density electron layer from the spatial distribution of pulsars (Krishnamohan, S.), 220, 119
Multicomponent, reacting MHD flows (Draine, B.T.), 220, 133
Multicomponent reacting MHD flows — a reply (Flower, D.R., Pineau des Forêts, G.), 220, 149
Global simulations of gas flow in disc galaxies — I. Response to a spiral density wave (Johns, T.C., Nelson, A.H.), 220, 165
Interstellar zinc revisited: possible depletion in high-density sight-lines (Harris, A.W., Mas Hesse, J.M.), 220, 271
Interstellar absorption lines in the directions of extragalactic objects — II. Analysis of 25 sight lines (Morton, D.C., Blades, J.C.), 220, 927
A cooling flow in the giant, elliptical galaxy NGC 4472 (Thomas, P.A.), 220 949

Magellanic Clouds

- Velocities and radii of five Magellanic Cloud Cepheids (Caldwell, J.A.R., Coulson, I.M., Spencer Jones, J.H., Black, C.A., Feast, M.W.), 220, 671

Masers

- Rapid variability of H₂O masers in Cepheus A (Rowland, P.R., Cohen, R.J.), 220, 233
MERLIN observations of the circumstellar envelope of VX Sagittarius (Chapman, J.M., Cohen, R.J.), 220, 513
A search for OH maser emission from spiral galaxies (Unger, S.W., Chapman, J.M., Cohen, R.J., Hawarden, T.G., Mountain, C.M.), 220, 1p

Microwave background

- A hot intergalactic medium? (Guilbert, P.W., Fabian, A.C.), 220, 439

Molecules and molecular clouds

- CO observations of sources from IRAS Circular No. 9 (Arquilla, R., Leahy, D.A., Kwok, S.), 220, 125
Multicomponent, reacting MHD flows (Draine, B.T.), 220, 133
Multicomponent reacting MHD flows — a reply (Flower, D.R., Pineau des Forêts, G.), 220, 149
An extremely luminous bipolar H₂ flow in the DR21 star-forming region (Garden, R., Geballe, T.R., Gatley, I., Nadeau, D.), 220, 203
Rapid variability of H₂O masers in Cepheus A (Rowland, P.R., Cohen, R.J.), 220, 233
Interpretation of Δv — 2 carbon monoxide lines in the spectrum of α Her (Hoflich, P., Lowe, R.P., Moorhead, J., Scholz, M., Wehlau, W., Wehrse, R.), 220, 377
Theoretical studies of interstellar molecular shocks — III. The formation of CH⁺ in diffuse clouds (Pineau des Forêts, G., Flower, D.R., Hartquist, T.W., Dalgarno, A.), 220, 801
A search for OH maser emission from spiral galaxies (Unger, S.W., Chapman, J.M., Cohen, R.J., Hawarden, T.G., Mountain, C.M.), 220, 1p
CO in the planetary nebulae NGC 2346 and 6720 (Huggins, P.J., Healy, A.P.), 220, 33p

Nebulae — gaseous

- Fine-structure population ratios for the ²P ground state of CII (Keenan, F.P., Lennon, D.J., Johnson, C.T., Kingston, A.E.), 220, 571
Infrared recombination line profiles: a diagnostic probe of the velocity field in the S106 stellar wind (Garden, R.P., Geballe, T.R.), 220, 611
The discovery of high-speed ionized knots in the HII regions M16 (NGC 6611) and the Rosette nebula (NGC 2237—2246) (Meaburn, J., Walsh, J.R.), 220, 745

Nebulae — planetary

- New colour and Zanstra temperatures for 15 central stars of planetary nebulae (de Freitas Pacheco, J.A., Codina, S.J., Viadana, L.), 220, 107
Fine-structure population ratios for the ²P ground state of CII (Keenan, F.P., Lennon, D.J., Johnson, C.T., Kingston, A.E.), 220, 571
CO in the planetary nebulae NGC 2346 and 6720 (Huggins, P.J., Healy, A.P.), 220, 33p

Neutron stars

- More about collapse of a radiating star (de Oliveira, A.K.G., Pacheco, J.A. de F., Santos, N.O.), 220, 405

Novae

- The radius of the accretion disc in Z Cha between outbursts (O'Donoghue, D.), 220, 23P

Subject index

Physical processes

- Multicomponent, reacting MHD flows (Draine, B.T.), 220, 133
- Multicomponent reacting MHD flows — a reply (Flower, D.R., Pineau des Forêts, G.), 220, 149
- Cooling of Population III objects in a pressure supported collapse (Lahav O.), 220, 259
- Eddington luminosities and photospheric radius expansion during X-ray bursts from 4U/MXB 1820-30 (Vacca, W.D., Lewin, W.H.G., van Paradijs, J.), 220, 339
- More about collapse of a radiating star (de Oliveira, A.K.G., Pacheco, J.A. de F., Santos, N.O.), 220, 405
- The structure and stability of the accretion disc boundary layer (Papaloizou, J.C.B., Stanley, G.Q.G.), 220, 593
- Heating and cooling in clusters of galaxies (Miller, L.), 220, 713
- Mass shedding and partition of the a/m ratio between core and envelope in gravitational collapse (de Felice, F., Yu, Y.), 220, 737
- A further uncertainty in the mixing length theory of convection in the structure of late-type stars (Tayler, R.J.), 220, 793
- Theoretical studies of interstellar molecular shocks — III. The formation of CH^+ in diffuse clouds (Pineau des Forêts, G., Flower, D.R., Hartquist, T.W., Dalgarno, A.), 220, 801
- Oscillations of thick accretion discs (Jaroszynski, M.), 220, 869
- On mode changes in ZZ Ceti stars (O'Donoghue, D.), 220, 19p

Polarization of starlight

- Optical polarization in the spiral galaxy NGC 7331 (King, D.J.), 220, 485
- Polarimetry of VV Puppis (Cropper, M., Warner, B.), 220, 633

Pulsars

- Refractive effects in pulsar scintillation (Romani, R.W., Narayan, R., Blandford, R.), 220, 19
- Evidence for a high-density electron layer from the spatial distribution of pulsars (Krishnamohan, S.), 220, 119

Quasars

- Absorption lines and the radio structure of quasars (Swarup, G., Saikia, D.J., Beltrametti, M., Sinha, R.P., Salter, C.J.) 220, 1
- X-ray and radio core emission in radio quasars (Kembhavi, A., Feigelson, E.D., Singh, K.P.), 220, 51
- The remarkable absorption-line systems in the quasar Tololo 1037-27 (Ulrich, M.H., Perryman, M.A.C.), 220, 429

- Far-infrared observations of the quasar 0241+62 (Coe, M.J., Dean, A.J., Sembay, S., Ferrari-Toniolo, M., Persi, P., Spinoglio, L., Bassani, L., Elsmore, B.), 220, 781

Radio astronomy

- Absorption lines and the radio structure of quasars (Swarup, G., Saikia, D.J., Beltrametti, M., Sinha, R.P., Salter, C.J.) 220, 1
- X-ray and radio core emission in radio quasars (Kembhavi, A., Feigelson, E.D., Singh, K.P.), 220, 51
- Simultaneous optical, infrared and microwave observations of the flare star AT Mic (Nelson, G.J., Robinson, R.D., Slee, O.B., Ashley, M.C.B., Hyland, A.R., Tuohy, I.R., Nikoloff, I., Vaughan, A.E.), 220, 91
- CO observations of sources from IRAS Circular No. 9 (Arquilla, R., Leahy, D.A., Kwok, S.), 220, 125
- Rapid variability of H_2O masers in Cepheus A (Rowland, P.R., Cohen, R.J.), 220, 233
- Multifrequency observations of the wide-angle tail radio source 1313+073 (Patnaik, A.R., Malkan, M.A., Salter, C.J.), 220, 351
- High-resolution X-ray and radio observations of the giant elliptical galaxies NGC 4636 and 4649 (Stanger, V.J., Warwick, R.S.), 220, 363
- MERLIN observations of the circumstellar envelope of VX Sagittarius (Chapman, J.M., Cohen, R.J.), 220, 513
- An analysis of the properties of CLEAN and Smoothness Stabilized CLEAN — some warnings (Tan, S.M.), 220, 971
- A search for OH maser emission from spiral galaxies (Unger, S.W., Chapman, J.M., Cohen, R.J., Hawarden, T.G., Mountain, C.M.), 220, 1p
- CO in the planetary nebulae NGC 2346 and 6720 (Huggins, P.J., Healy, A.P.), 220, 33p

Radioactive transfer

- Refractive effects in pulsar scintillation (Romani, R.W., Narayan, R., Blandford, R.), 220, 19

Spectroscopy

- Atomic data for the SIV 10.5- μm fine structure transition (Johnson, C.T., Kingston, A.E., Dufton, P.L.), 220, 155
- Measurement of relative oscillator strengths for Ti I-IV. Transitions from levels of excitation energy between 1.42 and 2.31 eV (Blackwell, D.E., Booth, A.J., Menon, S.L.R., Petford, A.D.), 220, 289
- Measurement of relative oscillator strengths for Cr I lines — II. Measures for transitions from levels with excitation energy 2.54–3.46 eV (Blackwell, D.E., Booth, A.J., Menon, S.L.R., Petford, A.D.), 220, 303

Subject index

An approximate calculation of the effect of opacity on Si III emission line ratios near the solar limb (Keenan, F.P., Kingston, A.E.), 220, 493

Measurement of the oscillator strengths of very weak FeV FeI lines (Blackwell, D.E., Booth, A.J., Haddock, D.J., Petford, A.D., Leggett, S.K.), 220, 549

Fine-structure population ratios for the $2P$ ground state of CII (Keenan, F.P., Lennon, D.J., Johnson, C.T., Kingston, A.E.), 220, 571

Stars

The low-luminosity J-type carbon stars (Lloyd Evans, T.), 220, 723

Stars — atmospheres of

Interpretation of Δv — 2 carbon monoxide lines in the spectrum of α Her (Hoflich, P., Lowe, R.P., Moorhead, J., Scholz, M., Wehlauf, W., Wehrse, R.), 220, 377

An approximate calculation of the effect of opacity on Si III emission line ratios near the solar limb (Keenan, F.P., Kingston, A.E.), 220, 493
On the surface gravities of Am stars (Dworetzky, M.M., Moon, T.T.), 220, 787

Stars — binary

Orbital inclinations of late B-type spectroscopic binaries (Guthrie, B.N.G.), 220, 559
Polarimetry of VV Puppis (Cropper, M., Warner, B.), 220, 633
FT Lupi: *UBV* photometry and synthetic solution (Lipari, S.L., Sisteró, R.F.), 220, 883
The three types of high-mass X-ray pulsator (Corbet, R.H.D.), 220, 1047
Triple star evolution and the formation of short-period, low-mass M-ray binaries (Eggleton, P.P., Verbunt, F.), 220, 13p
The radius of the accretion disc in Z Cha between outbursts (O'Donoghue, D.), 220, 23p

Stars — chemical composition of

On the interpretation of Strömgren photometry (Alexander, J.B.), 220, 473
Orbital inclinations of late B-type spectroscopic binaries (Guthrie, B.N.G.), 220, 559
The chemical composition of six southern clusters and associations (Brown, P.J.F., Dufton, P.L., Lennon, D.J., Keenan, F.P.), 220, 1003

Stars — clusters of

CCD observations of some RR Lyrae stars and a standard sequence in Baade's window (Walker, A.R., Mack, P.), 220, 69

RR Lyrae stars in globular clusters: better distances from infrared measurements (Longmore, A.J., Fernley, J.A., Jameson, R.F.), 220, 279

Mass and age distributions of stars in young open clusters (Sagar, R., Piskunov, A.E., Myakutin, V.I., Joshi, U.C.), 220, 383

On the interpretation of Strömgren photometry (Alexander, J.B.), 220, 473

On the surface gravities of Am stars (Dworetzky, M.M., Moon, T.T.), 220, 787

uvby β photometry of southern clusters — VII NGC 2547 (Shobbrook, R.R.), 220, 825

CCD photometry of the globular cluster NGC 6752 (Penny, A.J., Dickens, R.J.), 220, 845

The chemical composition of six southern clusters and associations (Brown, P.J.F., Dufton, P.L., Lennon, D.J., Keenan, F.P.), 220, 1003

Stars — formation of

Cooling of Population III objects in a pressure supported collapse (Lahav O.), 220, 259

Mass shedding and partition of the a/m ratio between core and envelope in gravitational collapse (de Felice, F., Yu, Y.), 220, 737

Stars — magnetic fields in

Structure of magneto-Keplerian discs: an analytical solution for thin accretion discs threaded by stellar magnetic fields (Kaburaki, O.), 220, 321
MERLIN observations of the circumstellar envelope of VX Sagittarius (Chapman, J.M., Cohen, R.J.), 220, 513
Stellar oscillations in the presence of a magnetic field (Campbell, C.G., Palaloizou, J.C.B.), 220, 577
Polarimetry of VV Puppis (Cropper, M., Warner, B.), 220, 633

Stars — mass loss from

CO observations of sources from *IRAS* Circular No. 9 (Arquilla, R., Leahy, D.A., Kwok, S.), 220, 125
An extremely luminous bipolar H_2 flow in the DR21 star-forming region (Garden, R., Geballe, T.R., Gatley, I., Nadeau, D.), 220, 203
MERLIN observations of the circumstellar envelope of VX Sagittarius (Chapman, J.M., Cohen, R.J.), 220, 513
Infrared recombination line profiles: a diagnostic probe of the velocity field in the S106 stellar wind (Garden, R.P., Geballe, T.R.), 220, 611
Mass shedding and partition of the a/m ratio between core and envelope in gravitational collapse (de Felice, F., Yu, Y.), 220, 737

Stars — photometry of

CCD observations of some RR Lyrae stars and a standard sequence in Baade's window (Walker, A.R., Mack, P.), 220, 69

Subject index

- Simultaneous optical, infrared and microwave observations of the flare star AT Mic (Nelson, G.J., Robinson, R.D., Slee, O.B., Ashley, M.C.B., Hyland, A.R., Tuohy, I.R., Nikoloff, I., Vaughan, A.E.), 220, 91
- New colour and Zanstra temperatures for 15 central stars of planetary nebulae (de Freitas Pacheco, J.A., Codina, S.J., Viadana, L.), 220, 107
- Optical photometry and spectroscopy for five dwarf M stars (Doyle, J.G., Byrne, P.B., Menzies, J.W.), 220, 223
- RR Lyrae stars in globular clusters: better distances from infrared measurements (Longmore, A.J., Femley, J.A., Jameson, R.F.), 220, 279
- Frequency analysis of the 5.65-min oscillations in the rapidly oscillating Ap star HD 134214 (Kreidl, T.J., Kurtz, D.W.), 220, 313
- Mass and age distributions of stars in young open clusters (Sagar, R., Piskunov, A.E., Myakutin, V.I., Joshi, U.C.), 220, 383
- On the interpretation of Strömgren photometry (Alexander, J.B.), 220, 473
- Orbital inclinations of late B-type spectroscopic binaries (Guthrie, B.N.G.), 220, 559
- Velocities and radii of five Magellanic Cloud Cepheids (Caldwell, J.A.R., Coulson, I.M., Spencer Jones, J.H., Black, C.A., Feast, M.W.), 220, 671
- On the surface gravities of Am stars (Dworetzky, M.M., Moon, T.T.), 220, 787
- uvby* β photometry of southern clusters — VII. NGC 2547 (Shobbrook, R.R.), 220, 825
- CCD photometry of the globular cluster NGC 6752 (Penny, A.J., Dickens, R.J.), 220, 845
- FT Lupi: *UBV* photometry and synthetic solution (Lipari, S.L., Sisteró, R.F.), 220, 883
- The flicker spectrum of YZ Cancri (Elsworth, Y., James, J.F.), 220, 895
- Flares on dMe stars: *IUE* and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares (Bromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E.), 220, 1021

Stars — spectroscopy of

- High-resolution infrared spectroscopy: a search for the 11.52- μ m graphite feature (Glasse, A.C.H., Towilson, W.A., Aitken, D.K., Roche, P.F.), 220, 185
- Optical photometry and spectroscopy for five dwarf M stars (Doyle, J.G., Byrne, P.B., Menzies, J.W.), 220, 223
- Mode identification from line profile variations — II. A quantitative least-squares algorithm (Balona, L.A.), 220, 647
- The chemical composition of six southern clusters and associations (Brown, P.J.F., Dufton, P.L., Lennon, D.J., Keenan, F.P.), 220, 1003

Stars — structure and evolution of

- Extremely metal-deficient stars — II. Evolution of intermediate-mass stars to carbon ignition or core degeneracy (Tomambè, A., Chieffi, A.), 220, 529

- The low-luminosity J-type carbon stars (Lloyd Evans, T.), 220, 723
- A further uncertainty in the mixing length theory of convection in the structure of late-type stars (Tayler, R.J.), 220, 793
- Triple star evolution and the formation of short-period, low-mass X-ray binaries (Eggleton, P.P., Verbunt, F.), 220, 13p

Stars — variable

- CCD observations of some RR Lyrae stars and a standard sequence in Baade's window (Walker, A.R., Mack, P.), 220, 69
- Simultaneous optical, infrared and microwave observations of the flare star AT Mic (Nelson, G.J., Robinson, R.D., Slee, O.B., Ashley, M.C.B., Hyland, A.R., Tuohy, I.R., Nikoloff, I., Vaughan, A.E.), 220, 91
- Optical photometry and spectroscopy for five dwarf M stars (Doyle, J.G., Byrne, P.B., Menzies, J.W.), 220, 223
- RR Lyrae stars in globular clusters: better distances from infrared measurements (Longmore, A.J., Femley, J.A., Jameson, R.F.), 220, 279
- Frequency analysis of the 5.65-min oscillations in the rapidly oscillating Ap star HD 134214 (Kreidl, T.J., Kurtz, D.W.), 220, 313
- The luminosity and kinematics of RR Lyrae stars in the solar neighbourhood — I. Statistical parallaxes of RR Lyrae (Strugnell, P., Reid, N., Murray, C.A.), 220, 413
- Stellar oscillations in the presence of a magnetic field (Campbell, C.G., Papaloizou, J.C.B.), 220, 577
- Polarimetry of VV Puppis (Cropper, M., Warner, B.), 220, 633
- Mode identification from line profile variations — II. A quantitative least-squares algorithm (Balona, L.A.), 220, 647
- Velocities and radii of five Magellanic Cloud Cepheids (Caldwell, J.A.R., Coulson, I.M., Spencer Jones, J.H., Black, C.A., Feast, M.W.), 220, 671
- The flicker spectrum of YZ Cancri (Elsworth, Y., James, J.F.), 220, 895
- Flares on dMe stars: *IUE* and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares (Bromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E.), 220, 1021
- The three types of high-mass X-ray pulsator (Corbet, R.H.D.), 220, 1047
- On mode changes in ZZ Ceti stars (O'Donoghue, D.), 220, 19p
- The radius of the accretion disc in Z Cha between outbursts (O'Donoghue, D.), 220, 23p

Stars — velocities of

- Velocities and radii of five Magellanic Cloud Cepheids (Caldwell, J.A.R., Coulson, I.M., Spencer Jones, J.H., Black, C.A., Feast, M.W.), 220, 671

Subject index

Sun

- An approximate calculation of the effect of opacity on Si III emission line ratios near the solar limb (Keenan, F.P., Kingston, A.E.), 220, 493
- Measurement of the oscillator strengths of very weak Fe I lines (Blackwell, D.E., Booth, A.J., Haddock, D.J., Petford, A.D., Leggett, S.K.), 220, 549
- Flares on dMe stars: *IUE* and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares (Bromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E.), 220, 1021

Supernovae and supernova remnants

- An X-ray study of the Monoceros supernova remnant (Leahy, D.A., Narayan, S., Singh, K.P.), 220, 501
- Extremely metal-deficient stars — II. Evolution of intermediate-mass stars to carbon ignition or core degeneracy (Tomambè, A., Chieffi, A.), 220, 529
- Peculiar infrared and optical behaviour in Type I supernovae and the origin of the $1.2\text{-}\mu\text{m}$ feature (Graham, J.R.), 220, 27p

Ultraviolet astronomy

- The properties of the nuclei of the two hot spot galaxies NGC 1097 and 2997 (Walsh, J.R., Nandy, K., Thompson, G.I., Meaburn, J.), 220, 453
- An approximate calculation of the effect of opacity

on Si III emission line ratios near the solar limb (Keenan, F.P., Kingston, A.E.), 220, 493

- Flares on dMe stars: *IUE* and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares (Bromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E.), 220, 1021

X-ray astronomy

- X-ray and radio core emission in radio quasars (Kembhavi, A., Feigelson, E.D., Singh, K.P.), 220, 51
- Eddington luminosities and photospheric radius expansion during X-ray bursts from 4U/MXB 1820-30 (Vacca, W.D., Lewin, W.H.G., van Paradijs, J.), 220, 339
- High-resolution X-ray and radio observations of the giant elliptical galaxies NGC 4636 and 4649 (Stanger, V.J., Warwick, R.S.), 220, 363
- More about collapse of a radiating star (de Oliveira, A.K.G., Pacheco, J.A. de F., Santos, N.O.), 220, 405
- A hot intergalactic medium? (Guilbert, P.W., Fabian, A.C.), 220, 439
- An X-ray study of the Monoceros supernova remnant (Leahy, D.A., Narayan, S., Singh, K.P.), 220, 501
- A cooling flow in the giant, elliptical galaxy NGC 4472 (Thomas, P.A.), 220, 949
- The three types of high-mass X-ray pulsator (Corbet, R.H.D.), 220, 1047
- Triple star evolution and the formation of short-period, low-mass X-ray binaries (Eggleton, P.P., Verbunt, F.), 220, 13p

